

**Oxone<sup>®</sup> PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Oxone<sup>®</sup> PS-16 Monopersulfate compound  
Product Use : Cleaning agent, Oxidizing agent, For industrial use only.

Restrictions on use : Do not use product for anything outside of the above specified uses  
Manufacturer/Supplier : DuPont  
1007 Market Street  
Wilmington, DE 19898

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000)  
Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)  
Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

Other information : See Section 15: Regulatory Information for active substance guidance.  
professional use

**SECTION 2. HAZARDS IDENTIFICATION****Product hazard category**

Acute toxicity (Oral)	Category 4
Skin corrosion	Category 1B
Serious eye damage/eye irritation	Category 1

**Oxone<sup>®</sup> PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

**Label content**

Pictogram

:



Signal word

: Danger

Hazardous warnings

: Harmful if swallowed.  
Causes severe skin burns and eye damage.

Hazardous prevention measures

: Do not breathe dust or mist.  
Wash skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/ physician.  
Wash contaminated clothing before reuse.  
Store locked up.  
Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 11.92 %

**Oxone® PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS-No.	Concentration
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	70693-62-8	86 - 96 %
Dipotassium peroxodisulphate	7727-21-1	0 - 5 %
Tetra[carbonato(2-)]dihydroxypentamagnesium	7760-50-1	1 - 2 %

**SECTION 4. FIRST AID MEASURES**

- General advice : When symptoms persist or in all cases of doubt seek medical advice.
- Inhalation : Move to fresh air. Oxygen or artificial respiration if needed. Call a physician immediately.
- Skin contact : If on skin, rinse well with water. Take off contaminated clothing and shoes immediately. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
- Eye contact : Rinse immediately with plenty of water and seek medical advice.
- Ingestion : Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician immediately.
- Most important symptoms/effects, acute and delayed : No applicable data available.
- Protection of first-aiders : No applicable data available.
- Notes to physician : No applicable data available.

**Oxone<sup>®</sup> PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)
- Specific hazards : The product itself does not burn.  
Hazardous decomposition products Oxygen, Sulphur dioxide, Sulfur trioxide
- Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.
- Further information : No applicable data available.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

- Safeguards (Personnel) : Evacuate personnel to safe areas. Use personal protective equipment.
- Environmental precautions : Try to prevent the material from entering drains or water courses.
- Spill Cleanup : Sweep up and shovel into suitable containers for disposal. Avoid dust formation. After cleaning, flush away traces with water.
- Accidental Release Measures : Dispose of in accordance with local regulations.

**SECTION 7. HANDLING AND STORAGE**

- Handling (Personnel) : Use only in well-ventilated areas. Do not breathe dust. Avoid dust formation in confined areas. Avoid contact with skin and eyes. Keep away from heat and flame.



## Oxone<sup>®</sup> PS-16 Monopersulfate compound

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

Wash hands before breaks and immediately after handling the product.  
Handle in accordance with good industrial hygiene and safety practice.

Handling (Physical Aspects)	: No applicable data available.
Dust explosion class	: No applicable data available.
Storage	: Keep in a dry, cool and well-ventilated place. Protect from contamination. Store in original container. Keep away from: Combustible material Never allow product to get in contact with water during storage. Stable under recommended storage conditions.
Storage period	: No applicable data available.
Storage temperature	: No applicable data available.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls	: Ensure adequate ventilation.
Personal protective equipment	
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Material: Impervious gloves
Eye protection	: Wear safety glasses or coverall chemical splash goggles.
Skin and body protection	: Where there is potential for skin contact, have available and wear as appropriate, impervious gloves, apron, pants, jacket, hood and boots. Remove and wash contaminated clothing before re-use.
Protective measures	: When using do not eat or drink. Do not breathe dust.
Exposure Guidelines	
Exposure Limit Values	

Pentapotassium bis(peroxymonosulphate) bis(sulphate)		
AEL *	(DUPONT)	1 mg/m <sup>3</sup> 15 minute TWA


**Oxone<sup>®</sup> PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

Dipotassium peroxodisulphate			
TLV	(ACGIH)	0.1 mg/m <sup>3</sup>	TWA as persulfate

Potassium sulfate			
AEL *	(DUPONT)	10 mg/m <sup>3</sup>	8 hr. TWA

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**
**Appearance (Physical state, form, colour, etc.)**

Form	: Solid form, granular
Color	: white
Odor	: none
Odor threshold	: No applicable data available.
pH	: 2.1 at 30 g/l 20 °C (68 °F)
Melting point/freezing point	: Melting point Decomposes before melting.
Boiling point/boiling range	: Boiling point Not applicable
Flash point	: does not flash
Evaporation rate	: No applicable data available.
Flammability (solid, gas)	: The product itself does not burn, but it is slightly oxidising (active oxygen content ca. 2%).  The product is not flammable.
Upper explosion limit	: No applicable data available.
Lower explosion limit	: No applicable data available.

**Oxone<sup>®</sup> PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

Vapor pressure	: < 0.0000017 hPa
Vapour density	: No applicable data available.
Density	: No applicable data available.
Specific gravity (Relative density)	: 2.35 at 20 °C (68 °F)
Bulk density	: 1,100 - 1,400 kg/m <sup>3</sup>
Water solubility	: 297 - 357 g/l at 22 °C (72 °F)
Solubility(ies)	: No applicable data available.
Partition coefficient: n-octanol/water	: No applicable data available.
Ignition temperature	: no data available
Auto-ignition temperature	: No applicable data available.
Decomposition temperature	: No applicable data available.
Viscosity	: No applicable data available.
Oxidising Substance	: The substance or mixture is not classified as oxidizing.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No applicable data available.
Conditions to avoid	: Temperature > 50 °C (> 122 °F) Avoid extreme heat.
Incompatible materials	: Halogenated compounds Cyanides, Heavy metal salts



## **Oxone<sup>®</sup> PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

Hazardous decomposition products : Hazardous decomposition products: Oxygen , Sulphur dioxide, Sulfur trioxide

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Oxone<sup>®</sup> PS-16 Monopersulfate compound

Inhalation 4 h LC50 : &gt; 5 mg/l , Rat

Skin irritation : Causes burns., Rabbit

Eye irritation : Severe eye irritation, Rabbit

Sensitisation : Did not cause sensitisation on laboratory animals., Guinea pig

May cause sensitisation of susceptible persons by skin contact or by inhalation of dust.

Pentapotassium bis(peroxymonosulphate) bis(sulphate)

Dermal LD50 : &gt; 2,000 mg/kg , Rat

Oral LD50 : 500 mg/kg , Rat

Mutagenicity : Animal testing did not show any mutagenic effects.  
Did not cause genetic damage in cultured bacterial cells.  
Tests on mammalian cell cultures showed mutagenic effects.  
Evidence suggests this substance does not cause genetic damage in animals.

Teratogenicity : Animal testing showed no developmental toxicity.

Dipotassium peroxodisulphate

Dermal LD50 : &gt; 10,000 mg/kg , Rabbit

Oral LD50 : 1,130 mg/kg , Rat

Repeated dose toxicity : Oral  
Rat

-  
NOAEL: 131.5 mg/kg Method: OECD Test Guideline 407  
No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.



**Oxone<sup>®</sup> PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

Animal testing did not show any carcinogenic effects.  
Information given is based on data obtained from similar substances.

Mutagenicity : Animal testing did not show any mutagenic effects.  
Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
Information given is based on data obtained from similar substances.

Reproductive toxicity : No toxicity to reproduction  
Animal testing showed no reproductive toxicity.  
Information given is based on data obtained from similar substances.

Teratogenicity : Animal testing showed no developmental toxicity.  
Information given is based on data obtained from similar substances.

**Tetra[carbonato(2-)]dihydropentamagnesium**

Oral LD50 : > 2,000 mg/kg , Rat  
Information given is based on data obtained from similar substances.

Repeated dose toxicity : Oral  
Rat  
- 90 d  
NOAEL: 1,531 mg/kg Method: OECD Test Guideline 408  
No toxicologically significant effects were found., Information given is based on data obtained from similar substances.

Carcinogenicity : Not classifiable as a human carcinogen.  
Information given is based on data obtained from similar substances.  
Animal testing did not show any carcinogenic effects.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
Evidence suggests this substance does not cause genetic damage in animals.  
Information given is based on data obtained from similar substances.

Reproductive toxicity : No toxicity to reproduction  
Information given is based on data obtained from similar substances.  
Animal testing showed no reproductive toxicity.

Teratogenicity : Information given is based on data obtained from similar substances.  
Animal testing showed no developmental toxicity.


**Oxone® PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

**Carcinogenicity**

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

**SECTION 12. ECOLOGICAL INFORMATION**
**Aquatic Toxicity**
**Pentapotassium bis(peroxymonosulphate) bis(sulphate)**

96 h LC50	:	Cyprinodon variegatus (sheepshead minnow) 1.09 mg/l Directive 67/548/EEC, Annex V, C.1.
96 h ErC50	:	Selenastrum capricornutum (green algae) > 1 mg/l OECD Test Guideline 201
72 h NOEC	:	Selenastrum capricornutum (green algae) 0.5 mg/l
48 h EC50	:	Daphnia magna (Water flea) 3.5 mg/l OECD Test Guideline 202
37 d	:	NOEC Cyprinodon variegatus (sheepshead minnow) 0.222 mg/l
28 d	:	NOEC Americamysis bahia (mysid shrimp) 0.267 mg/l

**Dipotassium peroxodisulphate**

96 h LC50	:	Oncorhynchus mykiss (rainbow trout) 76.3 mg/l US EPA Test Guideline OPP 72-1 Information given is based on data obtained from similar substances.
72 h EbC50	:	Pseudokirchneriella subcapitata (green algae) 83.7 mg/l OECD Test Guideline 201 Information given is based on data obtained from similar substances.
72 h NOEC	:	Pseudokirchneriella subcapitata (green algae) 39.2 mg/l OECD Test Guideline 201 Information given is based on data obtained from similar substances.
48 h EC50	:	Daphnia magna (Water flea) 120 mg/l US EPA Test Guideline OPP 72-2 Information given is based on data obtained from similar substances.

**Oxone® PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

## Tetra[carbonato(2-)]dihydroxypentamagnesium

- 96 h LC50 : Pimephales promelas (fathead minnow) 2,120 mg/l  
Information given is based on data obtained from similar substances.
- 72 h EC50 : Desmodesmus subspicatus (green algae) > 100 mg/l OECD Test  
Guideline 201  
Information given is based on data obtained from similar substances.
- 72 h NOEC : Desmodesmus subspicatus (green algae) 100 mg/l OECD Test  
Guideline 201  
Information given is based on data obtained from similar substances.
- 48 h EC50 : Daphnia magna (Water flea) 140 mg/l  
Information given is based on data obtained from similar substances.
- Physico-chemical  
removability : hydrolyses

## Environmental Fate

Dipotassium peroxodisulphate  
Biodegradability

: Readily biodegradable.

## Tetra[carbonato(2-)]dihydroxypentamagnesium

Biodegradability : The methods for determining biodegradability are not applicable to  
inorganic substances.**SECTION 13. DISPOSAL CONSIDERATIONS**

Waste disposal methods - Product : Dispose of in accordance with local regulations.

Contaminated packaging : If recycling is not practicable, dispose of in compliance with local regulations.

**SECTION 14. TRANSPORT INFORMATION**

DOT UN number : 3260


**Oxone<sup>®</sup> PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

IATA_C	Proper shipping name	: Corrosive solid, acidic, inorganic, n.o.s. (Monopersulfate Compound)
	Class	: 8
	Packing group	: II
	Labelling No.	: 8
	UN number	: 3260
IMDG	Proper shipping name	: Corrosive solid, acidic, inorganic, n.o.s. (Monopersulfate Compound, )
	Class	: 8
	Packing group	: II
	Labelling No.	: 8
	UN number	: 3260
	Proper shipping name	: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Monopersulfate Compound, )
	Class	: 8
	Packing group	: II
	Labelling No.	: 8

**SECTION 15. REGULATORY INFORMATION**

TSCA	: On the inventory, or in compliance with the inventory
Other regulations	: Active Ingredient in this composition is POTASSIUM PEROXYMONOSULFATE, CAS. No. 10058-23-8, Concentration: 43-47% (Typical 45%) Active ingredient may also be described by the synonym POTASSIUM MONOPERSULFATE.
SARA 313 Regulated Chemical(s)	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
PA Right to Know Regulated Chemical(s)	: Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Dipotassium peroxodisulphate
NJ Right to Know Regulated Chemical(s)	: Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Dipotassium peroxodisulphate,

**Oxone<sup>®</sup> PS-16 Monopersulfate compound**

Version 2.0

Revision Date 11/11/2014

Ref. 130000026038

Potassium hydrogensulphate

Title III hazard classification : Acute Health Hazard: Yes  
Chronic Health Hazard: No  
Fire: No  
Reactivity/Physical hazard: No  
Pressure: No

California Prop. 65 : Chemicals known to the State of California to cause cancer, birth defects or any other harm: none known

**SECTION 16. OTHER INFORMATION**

The DuPont Oval Logo, DuPont<sup>™</sup>, and The miracles of science<sup>™</sup> are trademarks or registered trademarks of E.I. du Pont de Nemours and Company or its affiliates.

Revision Date : 11/11/2014

Contact person : MSDS Coordinator, DuPont Chemicals and Fluoroproducts, Wilmington, DE  
19898, (800) 441-7515

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.